

## **INTERNSHIP PROPOSAL**

Laboratory name: Center for Nanoscience and Nanotechnology  
CNRS identification code: UMR9001  
Internship director's surname: Ribeiro-Palau  
e-mail: rebecca.ribeiro@c2n.upsaclay.fr Phone number: +33 1 70 27 06 92  
Web page: <https://phynano.c2n.universite-paris-saclay.fr/en/teams/topo-2d/>  
Internship location: 10 boulevard Thomas Gobert 91120 Palaiseau

Thesis possibility after internship: YES

Funding: YES

If YES, which type of funding: EU

### ***Superconductivity and topological states in twisted bilayer graphene***

The first measurements of superconductivity and correlated phases in twisted bilayer graphene (tBLG) brought a lot of attention to this new way to control the properties of matter: twisting layers in a van der Waals (vdW) heterostructure. The superconducting state in tBLG or twisted van der Waals structures is believed to have its origin in the interplay between the moiré superlattice and the interlayer interactions, which leads to the formation of a flat band in the electronic band structure. Controlling the twist angle between the layers allows playing with both of these parameters at the same time. As layers get more aligned, the moiré superlattice wavelength and the layer hybridization increases. However, as the two layers get more and more aligned, at angles  $>1.1^\circ$ , the superconducting temperature decreases. A remarkable change of the critical superconducting temperature from 1.7 K to 0.5 K was reported for angular variations of 1.05 and 1.16 degrees in the case of tBLG [Cao et al., Nature 2018]. Given this astonishing result, we might wonder what is so special in the so-called magic-angle, 1.1 degrees and if other magic angles can be found where flat bands can be observed. Up to now it seems that twisted bilayer graphene is the ideal playground for most of the condensed matter phenomena, from superconductivity to anomalous quantum Hall effect and other correlated phases. However, the most challenging part of this research seems to lay in a reliable fabrication of homogeneous samples. In our laboratory we have developed a new technique to continuously control the angular alignment between layers [Science 361, 690].

In this experimental internship (with the possibility of extension to a PhD thesis), we propose to use a new technique to control the angular alignment between layers in a vdW heterostructure combined with low temperature measurements of electron transport to reveal the phase diagram of the superconducting state and other strongly correlated effect. This phase diagram will allow us to understand the origin of the superconducting state as well as what are the parameters increasing the critical superconducting temperature. The successful candidates will participate actively in sample fabrication (assembly of vdW heterostructures, angular control of layers using an AFM, micro and nanofabrication processes) and electronic transport measurements at low temperatures.

Please, indicate which speciality(ies) seem(s) to be more adapted to the subject:

Condensed Matter Physics: YES

Soft Matter and Biological Physics: YES/NO

Quantum Physics: YES

Theoretical Physics:

YES/NO